Sheet 1 of 7

FORM PTO-1449

## U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

PATENT AND TRADEN
INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

ATTY. DOCKET NO.	APPLICATION NO.
Cell 4.17 CON	10/658,521
APPLICANT R. Kucherlapati et al.	CONFIRMATION NO. Not yet assigned
FILING DATE	GROUP
September 8, 2003	Not yet assigned

**U.S. PATENT DOCUMENTS** 

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
/AW/	4,950,599	08/21/90	Bertling	435	172.3	
	4,959,313	09/25/90	Taketo	435	69.1	
	5,204,244	04/20/93	Fell et al.	435	69.6	
	5,286,647	02/15/94	Handley et al.	435	344	
	5,545,806	08/13/96	Lonberg et al.	800	2	
	5,545,807	08/13/96	Surani et al	800	2	
	5,569,825	10/29/96	Lonberg et al.	800	2	

**FOREIGN PATENT DOCUMENTS** 

EXAMINER	DOCUMENT	DATE	COUNTRY	CLASS	CUBCLACE	TRANS	LATION
INITIAL	NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
/AW/	EP 0 298 807 A1	01/11/89	Europe				
	EP 0 315 062 B1	05/10/89	Europe				,
	EP 0 322 240 B1	06/28/89	Europe				
	EP 0 459 372 A3	12/04/91	Europe				
	EP 0 463 151 B1	01/02/92	Europe				
	WO 90/04036	04/19/90	PCT				
	WO 91/00906	01/24/91	PCT				
	WO 91/10741	07/21/91	PCT				
	WO 92/03918	03/19/92	PCT				
	WO 92/22645	12/23/92	PCT		_		
	WO 93/05165	03/18/93	PCT				
	WO 93/12227	06/24/93	PCT				
	WO 94/00569	01/06/94	PCT				
	WO 94/02602	02/03/94	PCT				
	WO 94/25585	11/10/94	PCT				
V	WO 96/34096	10/31/96	PCT				

**EXAMINER** 

**DATE CONSIDERED** 

Sheet 2 of 7

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.
Cell 4.17 CON

APPLICATION NO.
10/658,521

CONFIRMATION NO.
Not yet assigned

FILING DATE
September 8, 2003

APPLICATION NO.
10/658,521

CONFIRMATION NO.
Not yet assigned

NIFORMATION DISCLOSURE

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
/AW/	Albertsen et al., "Construction and characterization of a yeast artificial chromosome library containing seven haploid human genome equivalents," <i>Proc. Natl. Acad. Sci.</i> 87:4256–4260 (1990)
	Aldhous, "Transgenic mice display a class (switching) act," Science 202.1232-
/AW/	Ayares, et al., "Sequence homology requirements for intermolecular recombination in mammalian cells," <i>Proc. Natl. Acad. Sci.</i> 83:5199-5203 (1986)
	Berman, et al., "Content and organization of the human Ig V <sub>H</sub> locus: definition of three new V <sub>H</sub> families and linkage to the Ig C <sub>H</sub> locus, <i>EMBO J.</i> 7:727-738 (1988)
	Blankenstein et al., "Immunoglobulin VH region genes of the mouse are organized in overlapping clusters," Eur. J. Immunol. 17:1351-1357 (1987)
	Brinster, et al., "Introns increase transcriptional efficiency in transgenic mice," <i>Proc. Natl. Acad. Sci.</i> 85:836-840 (1988)
	Brownstein et al., "Isolation of single-copy human genes from a library of yeast artificial chromosome clones," <i>Science</i> 244:1348–1351 (1989)
	Brüggemann et al., "A repertoire of monoclonal antibodies with human heavy chains from transgenic mice," <i>Proc. Natl. Acad. Sci.</i> 86:6709–6713 (1989)
	Brüggemann et al., "Construction, function and imunogenicity of recombinant monoclonal antibodies," Behring Inst. Mitt. 87:21–24 (1990)
	Brüggemann et al., "Human antibody production in transgenic mice: expression from 100 Kb of the human IgH locus," <i>Eur. J. Immunol.</i> 21:1323–1326 (1991)
	Burke et al., "Cloning of large segments of exogenous DNA into yeast by means of artificial chromosome vectors," <i>Science</i> 236:806–812 (1987)
	Buttin, et al., "Exogenous Ig gene rearrangement in transgenic mice: a new strategy for human monoclonal antibody production," <i>Trends in Genetics</i> 3(8):205-206 (1987)
	Cai, J. et al., "Extensive and selective mutation of a rearranged V <sub>H</sub> 5 gene in human B cell chronic lymphocytic leukemia," <i>J. Exp. Med.</i> 176:1073-1081 (1992)
	Capecchi, et al., "Altering the genome by homologous recombination," Science 244:1288-1292 (1989)
	Chen et al., "Immunoglobulin gene rearrangement in B cell deficient mice generated by targeted deletion of the J <sub>H</sub> locus," <i>International Immunology</i> 5:647-656 (1993)
	Choi, et al., "RNA splicing generates a variant light chain from an aberrantly rearranged κ gene," Nature 286:776-779 (1980)
	Choi, et al., "Transgenic mice containing a human heavy chain immunoglobulin gene fragment cloned in a yeast artificial chromosome," <i>Nature Genetics</i> 4:117-123 (1993)
V	Cook, G.P. et al. "The human immunoglobulin V <sub>H</sub> repertoire," <i>Immunology Today</i> 16:237-242 (1995)

EXAMINER
----------

## **DATE CONSIDERED**

Sheet	3	of	7

		SHEEL S OF I
FORM PTO-1449  U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. Cell 4.17 CON	APPLICATION NO. 10/658,521
NFORMATION DISCLOSURE	APPLICANT R. Kucherlapati et al.	CONFIRMATION NO. Not yet assigned
MI 2 3 SE	FILING DATE September 8, 2003	GROUP Not yet assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
/AW/	Corvalon, et al., "Generation of fully human high affinity monoclonal antibodies to EGF receptor in mice," Journal of Allergy and Clinical Immunology 99:S214 (1997)
	Cox Declaration, from United States Patent No. 5,545,806.
	Davies et al., "Targeted alterations in yeast artificial chromosomes for inter-species gene transfer," Nucleic Acids Res. 20:2693–2698 (1992)
	Doetschman, et al., "Targeted mutation of the hprt gene in mouse embryonic stem cells," Proc. Natl. Acad. Sci. 85:8583-8587 (1988)
	Dorfman, N.A., "The optimal technological approach to the development of human hybridomas," <i>J. Biol. Resp. Modif.</i> 4:213–239 (1985)
	Eliceiri et al., "Stable integration and expression in mouse cells of yeast artificial chromosomes harboring human genes," <i>Proc. Natl. Acad. Sci.</i> 88:2179–2183 (1991)
	Ellison et al., "The nucleotide sequence of a human immunoglobulin C <sub>y</sub> 1 gene," <i>Nucleic Acids</i> Research 10:4071-4079 (1982)
	Emery, S.C. et al., "Humanised monoclonal antibodies for therapeutic applications," Expert Opinion or Investigation Drugs 3:241-251 (1994)
•	Fishwild et al., "High-avidity human IgG <sub>K</sub> monoclonal antibodies from a novel strain of minilocus transgenic mice," <i>Nature Biotech.</i> 14:845-851 (1996)
	Garza et al., "Mapping the drosophila genome with yeast artificial chromosomes," Science 246:641–646 (1989)
	Gnirke et al., "Cloning and in vivo expression of the human GART gene using yeast artificial chromosomes," <i>EMBO J.</i> 10(7):1629–1634 (1991)
	Green, et al., "Antigen-specific human monoclonal antibodies from mice engineered with human Ig heavy and light chain YACs," Nature Genetics 7:13-21 (1994)
	Huber, et al., "The human immunoglobulin κ locus. Characterization of the partially duplicated L regions," <i>Eur. J. Immunol.</i> 23:2860-2967 (1993)
	Huxley et al., "The human HPRT gene on a yeast artificial chromosome is functional when transferred to mouse cells by cell fusion," <i>Genomics</i> 9:742–750 (1991)
	Ikematsu, et al., "Clonal analysis of a human antibody response. II. sequences of the V <sub>H</sub> genes of human IgM, IgG, IgA to rabies virus reveal preferential utilization of V <sub>H</sub> III segments and somatic hypermutation," <i>The Journal of Immunology</i> 150:1325-1337 (1993)
	Jakobovits, et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production," <i>Proc. Natl. Acad. Sci.</i> 90:2551-2555 (1993)
$\downarrow$	Jakobovits, et al., "Germ-line transmission and expression of a human-derived yeast artificial chromosome," <i>Nature</i> 362:255-258 (1993)

## **EXAMINER**

## DATE CONSIDERED

Sheet 4 of 7

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

PE JC 25 IN

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

	011001 7
ATTY. DOCKET NO.	APPLICATION NO.
Cell 4.17 CON	10/658,521
APPLICANT R. Kucherlapati et al.	CONFIRMATION NO. Not yet assigned
FILING DATE	GROUP
September 8, 2003	Not yet assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
/AW/	Jakobovits, "Humanizing the mouse genome," Current Biology 4:761-763 (1994)
	Jakobovits, et al. "Production of antigen-specific human antibodies from mice engineered with human heavy and light chain YACs," <i>Annels of the New York Academy of Sciences</i> 764:525-535 (1995)
	Jakobovits, A., "Production of fully human antibodies by transgenic mice," Current Opinion in Biotechnology 6:561-566 (1995)
	Jakobovits et al., "Humoral immunity in mice engineered with megabase human heavy and kappa light chain YACs," Journal of Allergy and Clinical Immunology, 99:S113 (1997)
	Johnson, et al., "Targeting of nonexpressed genes in embryonic stem cells via homologous recombination," Science 245:1234-1236 (1989)
	Joyner et al., "Production of a mutation in mouse En-2 gene by homologous recombination in embryonic stem cells," <i>Nature</i> 338:153–155 (1989)
	Koller et al., "Inactivating the $\beta_2$ -microglobulin Locus in Mouse Embryonic Stem Cells by Homologous Recombination," <i>Proc. Natl. Acad. Sci.</i> 86:8932–8935 (1989)
	Kucherlapati, R., "Homologous Recombination in Mammalian Somatic Cells," <i>Prog. Nucleic Acid Res. Mol. Biol.</i> 36:301-310 (1989)
	Li Y. et al., "The binding specificity of human V <sub>H</sub> 4-34 (V <sub>H</sub> 4-21) encoded antibodies is determined by both V <sub>H</sub> framework region 1 and comlementarity determining region 3," <i>J. Mol. Biol.</i> 256:577-589 (1996)
	Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," <i>Nature</i> 368:856-859 (1994)
	Lonberg, et al., "Human antibodies from transgenic mice," <i>International Reviews of Immunology</i> 13:65-93 (1995)
	Mansour, et al., "Disruption of the proto-oncogene Int-2 In mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes," Nature 336:348-352 (1988)
	Matsuda et al., "Structure and physical map of 64 variable segments in the 3' 0.8-megabase region of the human immunoglobulin heavy-chain locus," <i>Nature Genet</i> . 3:88–94 (1993)
	Max, et al., "Sequences of five potential recombination sites encoded close to an immunoglobulin $\kappa$ constant region gene," <i>Proc. Natl. Acad. Sci.</i> 76(7):3450-3454 (1979)
	Mendez, et al., "Analysis of the structural integrity of YACs comprising human immunoglobulin genes in yeast and in embryonic stem cells," <i>Genomics</i> , 26:294-307 (1995)
	Mendez, et al., "Functional transplant of megabase human immunoglobulin loci recapitulates human antibody response in mice," <i>Nature Genetics</i> 15:146-156 (1997)
V	Miller, et al., "Structural alterations in J regions of mouse immunoglobulin A genes are associated with differential gene expression," <i>Nature</i> 295:428-430 (1982)

**EXAMINER** 

**DATE CONSIDERED** 

			Sheet 5 of 7
FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. Cell 4.17 CON	APPLICATION NO. 10/658,521
	DRMATION DISCLOSURE	APPLICANT R. Kucherlapati et al.	CONFIRMATION NO. Not yet assigned
O NO	<b>~</b> 1	FILING DATE September 8, 2003	GROUP Not yet assigned

THER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	· ·
/AW/	Morrison, "Success in specification," Nature 368:812-813 (1994)
	Mortensen et al., "Production of homozygousmMutant ES cells with a single targeting construct," Mol. Cell. Biol. 12(5):2391-2395 (1992)
	Orkin, et al., "Mutation in an intervening sequence splice junction in man," <i>Proc. Natl. Acad. Sci.</i> 78(8):5041-5045 (1981)
	Pachnis et al., "Transfer of a yeast artificial chromosome carrying human DNA from saccharomyces cerevisiae into mammalian cells," <i>Proc. Natl. Acad. Sci.</i> 87:5109–5113 (1990)
	Pavan et al., "Modification and transfer into an embryonal carcinoma cell line of a 360-kilobase human-derived yeast artificial chromosome," <i>Mol. Cell. Biol.</i> 10(8):4163–4169 (1990)
	Rajewsky, et al., "Evolutionary and somatic selection of the antibody repertoire in the mouse," Science 238:1088-1094 (1987)
	Ramirez-Solis, et al., "Chromosome engineering in mice," Nature 378:720-724 (1995)
	Sakano, et al., "Sequences at the somatic recombination sites of immunoglobulin light-chain genes," Nature 280:288-294 (1979)
	Sakano, et al., "Two types of somatic recombination are necessary for the generation of complete immunoglobulin heavy-chain genes," <i>Nature</i> 286:676-683 (1980)
	Sanz, I., "Multiple mechanisms participate in the generation of diversity of human H chain CDR3 regions," <i>J. of Immunol.</i> 147:1720-1729 (1991)
	Schedl, et al., "Transgenic mice generated by pronuclear injection of a yeast artificial chromosome," Nucl. Acids Res. 20:3073-3077 (1992)
	Schedl, et al., "A method for the generation of YAC transgenic mice by pronuclear microinjection," Nucleic Acids Research 21(20):4783-4787 (1993)
	Schedl, et al., "A yeast artificial chromosome covering the tyrosinase gene confers copy number- dependent expression in transgenic mice," <i>Nature</i> 362:258-261 (1993)
	Schwartzberg et al., "Germ-line transmission of a c-abl mutation produced by targeted gene disruption in ES cells," Science 246:799-803 (1989)
	Seidman, et al., "A Mutant Immunoglobulin light Chain is Formed by Aberrant DNA- and RNA-Splicing Events," <i>Nature</i> 286:779-783 (1980)
	Shimizu, et al., "Immunoglobulin double-isotype expression by trans-mRNA in a human immunoglobulin transgenic mouse," <i>Proc. Natl. Acad. Sci.</i> 86:8020-8023 (1989)
	Shin et al., "Physical map of the 3' region of the human immunoglobulin heavy chain locus: clustering of autoantibody-related variable segments in one haplotype," <i>EMBO J.</i> 10:3641–3645 (1991)
$\Psi$	Straus, et al., "Germ line transmission of a yeast artificial chromosome spanning the murine $\sigma_1(1)$ collagen locus," Science 259:1904-1907 (1993)

**EXAMINER** 

**DATE CONSIDERED** 

			Sneet 6 of /
FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. Cell 4.17 CON	APPLICATION NO. 10/658,521
	ORMATION DISCLOSURE	APPLICANT  R. Kuchedapati et al	CONFIRMATION NO.

APPLICANT
R. Kucherlapati et al.

FILING DATE
September 8, 2003

Cell 4.17 CON
10/658,521

CONFIRMATION NO.
Not yet assigned

GROUP
Not yet assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

STATEMENT BY APPLICAN

	OTHER DOCOMENTS (including Author, Title, Date, Pertinent Pages, Etc.)
EXAMINER INITIAL	
/AW/	Taggart et al., "Stable antibody-producing murine hybridomas," Science 219:1228–1230 (1983)
	Taki, et al., "Targeted insertion of a variable region gene into the immunoglobulin heavy chain locus," Science 262:1268-1271 (1993)
	Taylor, et al., "Human immunoglobulin transgenes undergo rearrangement, somatic mutation and class switching in mice that lack endogenous IgM," <i>International Immunol</i> . 6:579-591 (1994)
	Taylor, et al., "A transgenic mouse that expresses a diversity of human sequence heavy and light chain immunoglobulins," <i>Nucleic Acids Research</i> 20:6287-6295 (1992)
	Thomas et al., "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells," Cell 51:503–512 (1987)
	Traver, et al., "Rapid screening of a human genomic library in yeast artificial chromosomes for single-copy sequences," <i>Proc. Natl. Acad. Sci.</i> 86:5898-5902 (1989)
	Treisman, et al., "Specific transcription and RNA splicing defects in five cloned ß-thalassaemia genes," <i>Nature</i> 302:591-596 (1983)
	Tuaillon, et al., "Analysis of direct and inverted DJ <sub>H</sub> rearrangements in a human lg heavy chain transgenic minilocus," <i>J. Immunol.</i> 154:6453-6465 (1995)
	Tuaillon, et al., "Human immunoglobulin heavy-chain minilocus recombination in transgenic mice: gene-segment use in $\mu$ and $\gamma$ transcripts," <i>Proc. Natl. Acad. Sci.</i> 90:3720-3724 (1993)
	Tucker et al., "Mouse IgA heavy chain gene sequence: implications for evolution of immunoglobulin hinge exons," <i>Proc. Natl. Acad. Sci.</i> 78:7684-7688 (1981)
	Wagner, et al., "The diversity of antigen-specific monoclonal antibodies from transgenic mice bearing human immunoglobulin gene miniloci," <i>Eur. J. Immunol.</i> 24:2672-2681 (1994)
	Weichhold, et al., "The human immunoglobulin $\kappa$ locus consists of two copies that are organized in opposite polarity," <i>Genomics</i> 16:503-511 (1993)
	Winter, et al., "Making antibodies by phage display technology," <i>Annual Review of Immunology</i> 12:433-455 (1994)
	Yamada, M., et al., "Preferential utilization of specific immunoglobulin heavy chain diversity and joining segments in adult human peripheral blood B lymphocytes," <i>J. Exp. Med.</i> 173:395-407 (1991)
	Yamamura, et al., "Cell-type-specific and regulated expression of a human yl heavy-chain immunoglobulin gene in transgenic mice," <i>Proc. natl. Acad. Sci.</i> 83:2152-2156 (1986)
	Yancoupoulos, et al. "Developmentally controlled and tissue-specific expression of unrearranged V <sub>H</sub> gene segments,", Cell 40:271-281 (1985)
	Yancoupoulos, et al., "Reconstruction of an immune system," Science 241:1581-1583 (1988)
V	Yang, et al., "Human monoclonal antibodies to human TNF-alpha generated from mice carrying human Ig loci," Journal of Allergy and Clinical Immunology 99:S15 (1997)

**EXAMINER** 

**DATE CONSIDERED** 

Sheet 7 of 7

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.
Cell 4.17 CON

APPLICATION NO.
10/658,521

CONFIRMATION NO.
Not yet assigned

FILING DATE
September 8, 2003

APPLICATION NO.
10/658,521

CONFIRMATION NO.
Not yet assigned

O STED TO ST

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

* EXAMINER INITIAL	
- /AW/	Zachau., "The Human immunoglobulin $\kappa$ locus and some of its acrobatics," <i>Biol. Chem.</i> 371:1–6 (1990)
/AW/	Zijlstra, et al., "Germ-line transmission of a disrupted \$\mathbb{B}_2\$-microglobulin gene produced by homologous recombination in embryonic stem cells, <i>Nature</i> 342:435-438 (1989)

**EXAMINER** 

/Anne Marie Wehbe/ (03/18/2007)

DATE CONSIDERED 03/18/2007

PTO/SB/08B (09-06)

Approved for use through 03/31/2007. OMB 0651-0031

Express Mall No. EV 669876622 US

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Expression Paperwork - Substitute for form 1449/PTO **INFORMATION DISCLOSURE** 

STATEMENT BY APPLICANT

HISA	as many snee	te 2e i	1000000111	, a , o	,
	————————			Examiner Name	Aı
Sheet	1	of	1	Attorney Docket Number	C

Complete if known				
Application Number	10/658,521			
Confirmation Number	1949			
Filing Date	September 8, 2003			
First Named Inventor	Raju Kucherlapati			
Art Unit	1633			
Examiner Name	Anne Marie Sabrina Wehbé			
Attorney Docket Number	Cell 4.17 CON			

	U.S. PAIENT DOCUMENTS					
Examiner	Cite	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	
initials*	No.'	Number - Kind Code <sup>2</sup> (if known)	MM-DD-YYYY	Applicant of Cited Documents	Passages or Relevant Figures Appear	
•			·			
					<del></del>	
i	FOREIGN PATENT DOCUMENTS					

	FOREIGN PATENT DOCUMENTS						
		Foreign Patent Document			Pages, Columns, Lines,		
Examiner initials	Cite No.1	Country Code <sup>3</sup> – Number <sup>4</sup> - Kind Code <sup>6</sup>	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Documents	Where Relevant Passages or Relevant Figures Appear	т•	
-/AW/		WO 92/04372	03/19/92	Schraufstatter et al.			
/AW/		WO 95/23865	09/08/95	Doerschuk et al.			

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS					
Examiner initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T <sup>6</sup>		
/AW/		KO, YUE-CHAU, et al., "A Sensitive Enzyme-Linked Immunosorbent Assay for Human Interleukin-8," <i>Journal of Immunological Methods</i> , Vol. 149, pp. 227-235 (1992).			
/AW/		L'HEUREUX, GAETAN P., "Diverging Signal Transduction Pathways Activated by Interleukin-8 and Related Chemokines in Human Neutrophils: Interleukin-8, But Not NAP-2 or GROa, Stimulates Phospholipase D Activity," <i>Blood</i> Vol. 85(2), pp. 522-531 (1995).			
/AW/		MOORE, MARY SHANNON et al., "The GTP-Binding Protein Ran/TC4 is Required for Protein Import Into the Nucleus," <i>Nature</i> , Vol. 365, pp. 661-663 (1993).			

Examiner	/Anne Marie Wehbe/ (03/18/2007)	Date	03/18/2007	
Signature	/Anne Marie Wehbe/ (03/18/2007)	Considered	03/10/2007	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional).

See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04.

Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3).

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible.

Applicant is to place a check mark here if English language translation is attached.